


cofe



Serial No.: 10/642,916

PATENT

CERTIFICATE OF MAILING (37 C.F.R. § 1.8(a))

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450.

January 13, 2006
Date

M. David Quinn
Name of person mailing paper

[Signature]
Signature

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Karlsson et al.

Serial No.: 10/642,916

Filing Date: Aug. 18, 2003

Patent No.: 6,984,569

Issue Date: Jan. 10, 2006

Title: SHALLOW TRENCH ISOLATION (STI) REGION WITH HIGH-K LINER AND METHOD OF FORMATION

Examiner: Laura M. Schillinger

Docket No.: G0603

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
(FOR PTO MISTAKE UNDER 37 C.F.R. § 1.322(a))

ATTN: Certificate of Correction Branch
Commissioner for Patents
U.S. Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
JAN 24 2006
of Correction

Sir:

Request is made for issuance of a certificate of correction to correct Office mistakes in the printing of the subject patent. Enclosed in duplicate is completed form PTO/SB/44 showing the correction(s) to be made.

To expedite issuance of the certificate of correction, the following table identifies where in the record the correct language can be found.

JAN 24 2006

JAN 24 2006

Serial No.: 10/642,916

PATENT

Location of Error	Location of Correct Language
Col. 3, Ln. 38	Application, Pg. 4, Ln. 28
Claim 1, Ln. 19	Reply to Office Action Dated February 24, 2005, Pg. 2, Claim 21, Ln. 14

Upon issuance, please send the Certificate to:


Renner, Otto, Boisselle & Sklar, LLP
1621 Euclid Avenue
19th Floor
Cleveland, Ohio 44115

No fee is believed to be necessary, but if there are any fees resulting from this communication, please charge same to our Deposit Account No. 18-0988, Order No. G0603.

Respectfully Submitted,

RENNER, OTTO, BOISSELLE & SKLAR, LLP

By



M. David Galin; Reg. No. 41,767

RENNER, OTTO, BOISSELLE & SKLAR, LLP
1621 Euclid Avenue
19th Floor
Cleveland, Ohio 44115

Tel.: (216) 621-1113
Fax: (216) 621-6165

R:\Clerks\ACitrin\Patent Check\AMD\PG0603USB\AMDS.P0603USB.CoC_Req.doc

JAN 24 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 6,984,569

APPLICATION NO.: 10/642,916

ISSUE DATE : Jan. 10, 2006

INVENTOR(S) : Karlsson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 3, Ln. 38, replace "space (ϵ_0) that is K" with --space (ϵ_0), that is K--.

Claim 1, Ln. 19, replace "the sidewalk and" with --the sidewalls and--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Renner, Otto, Boisselle & Sklar LLP
1621 Euclid Ave. - 19th Floor
Cleveland, Ohio 44115

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 24 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,984,569
APPLICATION NO.: 10/642,916
ISSUE DATE : Jan. 10, 2006
INVENTOR(S) : Karlsson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 3, Ln. 38, replace "space (ϵ_0) that is K" with --space (ϵ_0), that is K--.
Claim 1, Ln. 19, replace "the sidewalk and" with --the sidewalls and--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Renner, Otto, Boisselle & Sklar LLP
1621 Euclid Ave. - 19th Floor
Cleveland, Ohio 44115

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 24 2006